

FIG. 1

The image shows a web browser window titled "HostPro Internet". The address bar contains the URL "http://intranet.hostpro.com" and a "Go" button. The main content area displays a login form with the following elements:

- "User Name:" label followed by a text input field containing the text "lior".
- "Password:" label followed by an empty text input field.
- An "Enter" button centered below the input fields.

The status bar at the bottom of the window displays the word "Done".

FIG. 2

Site Administration			
Domain Name:		<input type="text" value="testsg20.com"/>	<input type="button" value="Search"/>
Domain Name: testsgl20.com			
Username:		testsgl2	
Password:		<input type="text" value="test1234"/>	<input type="button" value="update"/>
Server:		sgl20 (Virtual Host : Unix Standard)	
IP Address:		207.190.100.4	
Date Created:		2/4/00 7:52:25 AM	
Space:		<input type="text" value="100"/>	<input type="button" value="update"/>
Max POP:		<input type="text" value="5"/>	<input type="button" value="update"/>
Max Aliases:		<input type="text" value="5"/>	<input type="button" value="update"/>
Frontpage:		<input type="text" value="Yes"/>	<input type="button" value="update"/>
TrellixWeb:			
Anon. FTP:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
SSL:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
MySQL:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
MSQL:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
Servlets:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
Cybercash:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
PaymentNet:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
ShopPlus:	<input type="text" value="Yes"/>	<input type="button" value="update"/>	
Reseller:	<input type="text" value="www.hostpro.net"/>	<input type="button" value="update"/>	
Email:	<input type="text"/>		<input type="button" value="resend"/>
Real Media	Streams:	<input type="text"/>	<input type="button" value="update"/>
	Space:	<input type="text"/>	<input type="button" value="update"/>
Net Show:	Bandwidth	<input type="text"/>	<input type="button" value="update"/>
	Clients:	<input type="text"/>	
<input type="button" value="SUSPEND SITE"/>			

FIG. 3




FIG. 4





FIG. 5






FIG. 7




FIG. 8

94

132

SERVER ID	DESCRIPTION
HP1001	NT, No. 43223
HP1002	NT, No. 54677
HP1003	Linux, No. 321

134

SERVER TABLE

FIG. 9

96

142

SERVER ID	SITE ID	PASSWORD	DOMAIN
HP1008	3452C	72xC00	site.com

140

144

146

SITE TABLE

FIG. 10

152	150	154	156
SERVER ID	SITE ID	SPACE	STREAMS
HP1008	7568A	100 MB	20
HP1004	2234A	50 MB	10

MEDIA SERVER TABLE

FIG. 11

162	160	164	166	168	170
SERVER ID	SITE ID	SPACE	IP	MEMORY	CPU
HP1004	9067C	100 MB			20
HP1002	4356A	10 MB			10

WEB SERVER TABLE

FIG. 12




FIG. 13